

An aerial photograph showing the front of a black and orange sports car with white racing stripes, parked on a silver metal car trailer. The trailer is positioned on a dark asphalt surface. The car's license plate reads '000 958P'. The trailer has a dark brown central deck and perforated metal side rails.

BRIAN JAMES TRAILERS

» Connected to you

**C2 BLUE, C4 BLUE
A2 TRANSPORTER, A4 TRANSPORTER
STANDARDS RAISED**

UNITED KINGDOM

C4 BLUE





BLUE

THE NEW NAME IN RACE & RALLY PADDOCKS

The Blue trailer range represents the essence of Brian James Trailers' core values. Those being quality you can depend on at competitive prices, Blue trailers offer real value for money.

C2 BLUE and **C4 BLUE** trailers are available in a wide range of sizes and configurations with either single or twin axles. Several models fit comfortably inside a standard garage, perfect if storage space is an issue.



C2 BLUE, C4 BLUE

C2 and C4 Blue

Innovation, value and quality.



○ Tie - down wheel 'sleeve' straps

Approved by car manufacturers and race teams alike, these new straps hold the vehicle safely and securely without straining suspension geometry. Easy to fit, with multiple built - in tie - down points.

○ Wheel chocks, Bolt in (pair)

Fully adjustable wheel chocks bolt directly to the chassis bed.



● High grip punched ramps

1.90m long ramps store conveniently. Profiled guides allow the ramps to slide easily into the deck tray.

● Strong chassis design

Durable galvanised chassis features a 'soft ride' suspension for superior performance, stability and comfort. 5 years chassis warranty is standard.






○ **Storage bed locker (front)**

Lockable front storage locker, with automatic lift lid.

Internal size: 425 mm length, 90 mm depth, width dependent on load bed width.

○ **Deck slick pad**

For cars with soft 'slick' race tyres, pad raises tyre contact area above the punched deck.



● **Protected rear lighting**

Robust protection to rear lamp cluster.



○ **Manual winch**, 3 point adjustable pull positions, (illustrated above).

○ **Manual winch**, load pressure auto braked, 6 point adjustable pull positions.

○ **Electric winch**, Powerful 12v, 4500 lbs capacity, with remote control lead.

● Standard. ○ Optional at extra cost.



○ **Alloy wheels**

TUV approved, light weight 12" alloy wheels with safety locking wheel bolts.

C2 BLUE, C4 BLUE

A4 TRANSPORTER





TRANSPORTER DESIGNED FOR PERFORMANCE WITH EFFORTLESS LOADING

The New Transporter range represents the ultimate evolution in trailer design. With a strong, durable galvanised chassis, low bed height and a range topping 2600kg gross capacity. Transporter trailers are perfectly suited for vehicle recovery, professional transport and motorsport alike.

Transporter trailers are available with load bed lengths from 2.70m to 5.00m, in single or twin axle variants. All feature internally stored 'easy glide' ramps and a flush fitting centre deck.



A2 TRANSPORTER, A4 TRANSPORTER.

A4 TRANSPORTER

A2 and A4 Transporter

High specification as standard.



● **Rear stands with foot pedal action**
Designed to compliment the 'easy glide' out ramps these spring loaded, foot operated support stands can be lowered or raised in seconds. Rear stands provide the dual function of load support when engaged and locking the ramps safely in position when towing.

○ **2.40m punched ramps**
Additional length ramps available for low ground clearance vehicles.

○ **Wheel chocks, Professional**
Fully adjustable, quick release wheel chock system engages directly into the trailer chassis with in seconds.

○ **Tie-down wheel 'sleeve' straps**
Approved by car manufacturers and race teams alike, these new straps hold the vehicle safely and securely without straining suspension geometry. Easy to fit, with multiple built-in tie-down points.



● **Easy glide, high grip ramps**
1.90m punched ramps pull out from the trailer bed in seconds. 'easy glide' rollers ensure the operation requires little effort.





- **Manual winch** + 3 point adjustable pull positions.
- **Manual winch**, load pressure auto braked, + 6 point adjustable pull positions, (illustrated above).
- **Electric winch**, Powerful 12v, 4500 lbs capacity, with remote control lead.



- **Fuel can storage**
Designed to carry either 1, 2 or 3 x 20 ltr Jerry cans. Lockable, twin opening doors. Available in Saragasso blue or Poppy red.



- **Storage bed locker (front)**
Lockable front storage locker, with automatic lift lid. Internal size: 425 mm length, 90 mm depth, width dependent on chassis load bed width.

- **Storage bed locker (central)**
Large lockable central storage locker, with automatic lift lid.

Internal size: 620mm length, 180 mm depth, width dependent on load bed width.




- **Alloy wheels**
TUV approved, light weight 12" alloy wheels with safety locking wheel bolts.


● Standard. ○ Optional at extra cost.

A2 TRANSPORTER, A4 TRANSPORTER.


C2 BLUE technical information.




C2 BLUE – SINGLE AXLE											
LOAD BED LENGTH m A	2.70		3.20				3.70		4.00		
CAPACITY											
Gross kg	1,300	1,500	1,300	1,500	1,300	1,500	1,500	1,500	1,500	1,500	1,500
Load kg	865	1,060	815	1,010	805	998	973	968	965	960	955
DIMENSIONS											
Internal bed width m B	1.80	1.80	1.80	1.80	2.00	2.00	1.80	2.00	1.70	1.80	2.00
Overall trailer length m C	4.18	4.18	4.68	4.68	4.68	4.68	5.18	5.18	5.32	5.48	5.48
Overall trailer width m D	2.18	2.18	2.18	2.18	2.38	2.38	2.18	2.38	2.08	2.18	2.38
Bed load height m	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
RUNNING GEAR											
Wheel size	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"
Axles	1	1	1	1	1	1	1	1	1	1	1
Spare wheel	●	●	●	●	●	●	●	●	●	●	●
Jockey wheel, side clamp	●	●	●	●	●	●	●	●	●	●	●
RAMPS											
High grip, 1.90m E	●	●	●	●	●	●	●	●	●	●	●
High grip, 2.40m E	—	—	○	○	○	○	○	○	○	○	○
WARRANTY											
5 Year chassis warranty	●	●	●	●	●	●	●	●	●	●	●
PRODUCTS											
Product code	126-1010	126-1011	126-1110	126-1111	126-1120	126-1121	126-1211	126-1221	126-1301	126-1311	126-1312



C4 BLUE technical information.




C4 BLUE – TWIN AXLE															
LOAD BED LENGTH m A	3.30		3.70		4.00				4.50				5.00		
CAPACITY															
Gross kg	2,000	2,000	2,000	2,000	2,000	2,000	2,600	2,000	2,600	2,000	2,600	2,000	2,600	2,600	
Load kg	1,445	1,425	1,388	1,386	1,393	1,373	1,970	1,358	1,955	1,348	1,945	1,333	1,930	1,905	
DIMENSIONS															
Internal bed width m B	1.70	1.80	1.80	2.00	1.70	1.80	1.80	2.00	2.00	1.80	1.80	2.00	2.00	2.00	
Overall trailer length m C	4.62	4.62	5.18	5.18	5.32	5.48	5.48	5.48	5.48	5.98	5.98	5.98	5.98	6.48	
Overall trailer width m D	2.08	2.18	2.18	2.38	2.08	2.18	2.18	2.38	2.38	2.18	2.18	2.38	2.38	2.38	
Bed load height m	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	
RUNNING GEAR															
Wheel size	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	
Axles	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
Spare wheel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Jockey wheel, side clamp	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
RAMPS															
High grip, 1.90m E	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
High grip, 2.40m E	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
WARRANTY															
5 Year chassis warranty	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
PRODUCTS															
Product code	126-2002	126-2012	126-2112	126-2122	126-2202	126-2212	126-2213	126-2222	126-2223	126-2312	126-2313	126-2322	126-2323	126-2423	




A2 TRANSPORTER

A2 TRANSPORTER technical information.




A2 TRANSPORTER – SINGLE AXLE											
LOAD BED LENGTH m A	2.70		3.20			3.70			4.00		
CAPACITY											
Gross kg	1,300	1,500	1,300	1,500	1,300	1,500	1,500	1,500	1,500	1,500	1,500
Load kg	865	1,060	815	1,010	805	998	973	968	965	960	955
DIMENSIONS											
Internal bed width m B	1.80	1.80	1.80	1.80	2.00	2.00	1.80	2.00	1.70	1.80	2.00
Overall trailer length m C	4.24	4.24	4.74	4.74	4.74	4.74	5.24	5.24	5.38	5.54	5.54
Overall trailer width m D	2.18	2.18	2.18	2.18	2.38	2.38	2.18	2.38	2.08	2.18	2.38
Bed load height m	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
RUNNING GEAR											
Wheel size	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"
Axles	1	1	1	1	1	1	1	1	1	1	1
Spare wheel	●	●	●	●	●	●	●	●	●	●	●
Jockey wheel, HD	●	●	●	●	●	●	●	●	●	●	●
RAMPS											
High grip, glide out 1.90m E	●	●	●	●	●	●	●	●	●	●	●
High grip, glide out 2.40m E	—	—	○	○	○	○	○	○	○	○	○
WARRANTY											
5 Year chassis warranty	●	●	●	●	●	●	●	●	●	●	●
PRODUCTS											
Product code	125-1010	125-1011	125-1110	125-1111	125-1120	125-1121	125-1211	125-1221	125-1301	125-1311	125-1312




A4 TRANSPORTER

A4 TRANSPORTER technical information.



A4 TRANSPORTER – TWIN AXLE																	
LOAD BED LENGTH m A	3.30		3.70		4.00					4.50				5.00			
CAPACITY																	
Gross kg	2,000	2,000	2,000	2,000	2,000	2,000	2,600	2,000	2,600	2,000	2,600	2,000	2,600	3,000	2,600	3,000	
Load kg	1,445	1,425	1,388	1,386	1,393	1,373	1,970	1,358	1,955	1,348	1,945	1,333	1,930	2,320	1,905	2,295	
DIMENSIONS																	
Internal bed width m B	1.70	1.80	1.80	2.00	1.70	1.80	1.80	2.00	2.00	1.80	1.80	2.00	2.00	2.00	2.00	2.00	
Overall trailer length m C	4.68	4.68	5.24	5.24	5.38	5.54	5.54	5.54	5.54	6.04	6.04	6.04	6.04	6.04	6.54	6.54	
Overall trailer width m D	2.08	2.18	2.18	2.38	2.08	2.18	2.18	2.38	2.38	2.18	2.18	2.38	2.38	2.38	2.38	2.38	
Bed load height m	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	
RUNNING GEAR																	
Wheel size	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	
Axles	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
Spare wheel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Jockey wheel, auto retract	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
RAMPS																	
High grip, glide out 1.90m E	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
High grip, glide out 2.40m E	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
WARRANTY																	
5 Year chassis warranty	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
PRODUCTS																	
Product code	125-2002	125-2012	125-2112	125-2122	125-2202	125-2212	125-2213	125-2222	125-2223	125-2312	125-2313	125-2322	125-2323	125-2324	125-2423	125-2424	



BRIAN JAMES TRAILERS

» Connected to you

Brian James Trailers Limited.

Sopwith Way, Drayton Fields Industrial Estate
Daventry, Northamptonshire, NN11 8PB.

T +44 (0)1327 308 833

Brian James Trailers are available by contacting our sales team as well as through an extensive network of official dealers throughout the country.
For more information please call or visit our website.

www.brianjames.co.uk